

## Message

**From:** Carla Morgan [cmorgan@eastchicago.com]  
**Sent:** 12/7/2016 12:00:24 AM  
**To:** Bassler, Rachel [Bassler.Rachel@epa.gov]  
**CC:** Brown, Jaime [brown.jaime@epa.gov]  
**Subject:** RE: Draft East Chicago Notification and Q&A Document: For Your Review

Thanks Rachel.

-Carla

-----  
 Carla Morgan  
 City Attorney  
 City of East Chicago  
 (219) 391-8291 | (219) 391-8200  
 (219) 391-7011 Fax  
 email: [CMorgan@EastChicago.com](mailto:CMorgan@EastChicago.com)  
[www.EastChicago.com](http://www.EastChicago.com)

---

**From:** Bassler, Rachel [mailto:Bassler.Rachel@epa.gov]  
**Sent:** Tuesday, December 06, 2016 5:07 PM  
**To:** Carla Morgan  
**Cc:** Brown, Jaime  
**Subject:** FW: Draft East Chicago Notification and Q&A Document: For Your Review

Hi Carla,

I wanted to give you a heads up on the most recent materials our office sent to Greg Crowley. If you have any questions, please feel free to reach out to myself or Jaime.

Thanks,  
 Rachel

Rachel Bassler  
 Press Officer  
 U.S. EPA Region 5  
[bassler.rachel@epa.gov](mailto:bassler.rachel@epa.gov)  
 p: 312-886-7159  
 c: 312-914-3393

---

**From:** Korleski, Christopher  
**Sent:** Tuesday, December 06, 2016 3:51 PM  
**To:** [crowley@eastchicago.com](mailto:crowley@eastchicago.com)  
**Cc:** Poy, Thomas <[poy.thomas@epa.gov](mailto:poy.thomas@epa.gov)>; Bair, Rita <[bair.rita@epa.gov](mailto:bair.rita@epa.gov)>; Deltoral, Miguel <[deltoral.miguel@epa.gov](mailto:deltoral.miguel@epa.gov)>; Rowan, Anne <[rowan.anne@epa.gov](mailto:rowan.anne@epa.gov)>; Cassell, Peter <[cassell.peter@epa.gov](mailto:cassell.peter@epa.gov)>; Bassler, Rachel <[Bassler.Rachel@epa.gov](mailto:Bassler.Rachel@epa.gov)>; Kaplan, Robert <[kaplan.robert@epa.gov](mailto:kaplan.robert@epa.gov)>; Korleski, Christopher <[korleski.christopher@epa.gov](mailto:korleski.christopher@epa.gov)>  
**Subject:** Draft East Chicago Notification and Q&A Document: For Your Review

Hi Greg:

I am attaching for the City's review:

1. The draft script for notifying East Chicago residents about the lead levels found in their drinking water samples; and
2. A draft Q&A relating to the lead levels found in the residents' drinking water samples.

The draft notification script (as well as the Q&A) is undergoing EPA HQ review, and may be subject to change. Nevertheless, we think this is pretty close to final and would like to know if the City concurs with the draft so, barring any major changes, we can proceed with notifying the residents.

We're also sharing these two draft documents with IDEM and asking them to concur as well. Our goal is to make sure that EPA, IDEM and the City are all on the same page with regard to what we will be telling the homeowners about the lead levels found in the drinking water samples collected from their homes.

Miguel Deltoral may have already reached out to you, but can you please tell me if you have any time tomorrow (Thursday) to talk with us about these documents so we can move forward?

Thanks for your assistance, and any Qs, please let me know. My direct is 312 353 8320.

Chris

---

Chris Korleski  
Director, Water Division, Region 5  
U.S. Environmental Protection Agency  
77 W. Jackson Blvd. (W-15J)  
Chicago, IL 60604  
312 886-1432 (Liz Rosado, Assistant)  
312 353-5498 (General Office Number)  
[korleski.christopher@epa.gov](mailto:korleski.christopher@epa.gov)